

选择优尼科 共创美好未来  
BE WITH UNIQUE WIN THE WORLD

UNQ  
SERIES OF POLYCARBONATE SHEET

## 河北优尼科塑胶制造有限公司

HEBEI UNIQUE PLASTICS MANUFACTURER CO.,LTD

网站: <https://www.unqpc.cn>

website: <https://www.unqpc.com>

电话 /Tel: 400-0312-268 For English: 0086 13111680315

邮箱: [sophie@unqpcsheet.com](mailto:sophie@unqpcsheet.com)

办公地址: 河北省保定市东湖商业中心 14 层

Add: No.14th Floor, Donghu Business Center, Baoding city, Hebei province

厂房地址: 河北省定州市北方循环经济园高标产业园区

Add: No.1, YG-3 District, Gaobiao Industrial Park,

Northern Circular Economy Demonstration Zone, Dingzhou City.



微信公众平台



河北优尼科塑胶制造有限公司  
HEBEI UNIQUE PLASTICS MANUFACTURER CO.,LTD



## 公司简介

COMPANY PROFILE



## 企业文化

COMPANY CULTURE

### MISSION 使命

创新环保建材 缔造阳光生活  
Innovate Green Materials. Create Sunny Life

### VISION 愿景

让优尼科成为PC行业的智造者  
Making Unique to be the intelligent manufacturer in PC field.

### VALUE 价值观

以人为本 以质求存 追求卓越 共同发展  
People-oriented, Quality of Survival, Pursuit of Excellence and Mutual Development



河北优尼科塑胶制造有限公司,位于河北定州市北方循环经济示范园 YG-3 区 01 号,厂房占地 6600 平米,拥有国际先进生产线 5 条,年产能 8000 吨。公司现拥有注册品牌: 优尼科、航美、澜雨。

公司主营产品包括 PC 阳光板、PC 耐力板、PC 波浪瓦、车棚、雨棚、花房等,可应用于市政工程,住宅天窗,仓库及工业厂房采光顶棚,游泳池、体育场馆、温室大棚覆盖; 通道、走廊、停车棚; 高速公路隔音屏障; 室内装饰、阳台隔断; 广告灯箱、户外广告牌、LED 电子显示屏; 防弹盾牌等领域。

公司秉承严控板材质量、创新产品技术、保障售后服务的理念,不断开拓进取,为客户提供百分百满意的产品和服务。优尼科愿与您携手,一起迈向更加广阔美好的明天!

Hebei Unique Plastics Manufacturer Co., Ltd., is located in No. 01, YG-3 District, North Industrial Park, Dingzhou City, Hebei and covers an area of 6,600 square meters. It has 5 international advanced production lines, and the annual production capacity can reach 8,000 tons. The company has successfully registered the brand of Unique, Hangmei and Lanyu.

Our main products include polycarbonate hollow sheet, polycarbonate solid sheet, polycarbonate corrugated sheet, polycarbonate carports, polycarbonate awning, garden houses etc.. The products are very popular in municipal projects, residential skylights, warehouses and industrial plant lighting ceilings, swimming pools, stadiums, greenhouses covered; Channels, corridors, parking sheds; highway noise barriers; interior decoration, balcony partitions; advertising light boxes, outdoor billboards, LED electronic displays; bulletproof shields and other fields.

Hebei Unique adheres to the concept of strict control of quality, innovate product technology and guarantee of after-sales service, constantly forging ahead and providing customers with 100% satisfactory products and services. Unique is willing to join hands with you to move towards a broader and better tomorrow!

# 目录 / Contents

河北优尼科塑胶制造有限公司



01 产品介绍 / PC 阳光板  
PC hollow sheet

05 产品介绍 / PC 耐力板  
PC solid sheet

09 产品介绍 / PC 波浪瓦  
PC corrugated sheet

13 产品介绍 / 车棚  
Carport

17 产品介绍 / 雨棚  
Awning

21 产品介绍 / 花房  
Greenhouse

23 产品介绍 / 配件  
Accessories

25 项目案例  
Project case

29 公司实力  
Company strength



# P<sub>c hollow sheet</sub> 阳光板

阳光板普遍用于各种建筑采光屋面屋顶和室内装修；火车站和航空等过街天桥、通道顶棚；汽车站轮渡码头等公共服务设施的顶盖和装潢园林小品；天窗、地窖、拱形屋顶及商场顶棚；旅游、游艺场合奇怪装潢及休息廊厅；透光隔热及隔音屏障路牌广告、灯箱广告牌及展现展览部署；高级内部装修。

PC hollow sheet is widely used for a variety of architectural lighting roof and interior decoration; railway station and aviation overpass, channel roof; automobile Roof garden ornaments and decorating the ferry terminals and other public service facilities; skylight, cellar, vaulted ceiling roof and shopping malls; tourism, travel Art occasion strange decor and rest Gallery hall; transparent heat insulation and sound insulation barrier billboard, lamp box billboard and display exhibition deployment; senior interior decoration.

### 产品特点

- 节能冷弯
- 耐候耐燃
- 抗风透光
- 防凝隔音
- 质轻抗风
- 抗冲击性
- 使用温度范围广

### Products Features

- Save energy and cold bending
- Weather and flame resistance
- Wind resitence and transparency
- Avoid alot and sound insulation
- Light weight and high wind resistance
- Impact resistance
- Wide applications

### 颜色选择

阳光板目前有很多种颜色可选,包括蓝色、绿色、红色等,也可以根据要求定制。

Hollow sheet has many colors to choose,including blue,green,red,etc,also can customized.



透明



湖蓝



宝蓝



草绿



茶色



乳白




红色



淡黄色



灰色






# PC hollow sheet 阳光板

## 产品用途 / Product Application

- 园林、游艺场所奇异装饰及休息场所的廊厅  
The gardens special decoration and waiting roof of corridor
- 商业建筑的内外装饰、现代城市楼房的幕墙  
Interior and exterior decoration of commercial building, the curtain wall of modern building
- 农业温室及养殖大棚  
Agricultural greenhouse and breeding greenhouse
- 所有单位或小区内自行车棚、阳台遮阳雨篷及屋顶休息亭棚  
Bike shelter, carport shelter, balcony awning and the roof of skylight
- 办公楼、百货大楼、宾馆、别墅、学校、体育场馆、娱乐中心及公用设施的采光顶棚  
Office building, department store, hotels, villas, schools, hospitals, stadiums, entertainment center and public facilities lighting ceiling


## 应用案例 / Applications



双层阳光板  
Double wall PC hollow sheet



四层阳光板  
Four-wall PC hollow sheet



蜂窝阳光板  
Honeycomb hollow sheet



米字阳光板  
X-structure PC hollow sheet

# PC hollow sheet 阳光板

## 阳光板类型及尺寸 / PC hollow sheet specification

优尼科聚碳酸酯(PC)阳光板系列 Unique Polycarbonate Hollow Sheet Series						
板材层数 Structure of Sheet	标准厚度(mm) Standard Thickness	克重(kg/m <sup>2</sup> ) Weight	标准 K 值(W/m <sup>2</sup> k) Standard K Value	UV 涂层面 UV Coating	透光率(%，透明) Rate of Transparency	最小弯曲半径 Minimum Bending Radius
 二层矩形阳光板 Twin wall PC hollow sheet	4	0.90	3.96	1/2	80	700
	6	1.30	3.56	1/2	78	1050
	8	1.50	3.26	1/2	76	1400
	10	1.70	3.02	1/2	73	1750
 三层矩形阳光板 Triple wall PC hollow sheet	12	1.90	2.78	1/2	72	2100
	8	1.70	2.92	1/2	71	1400
	10	2.00	2.68	1/2	71	1750
	12	2.20	2.60	1/2	71	2100
 四层矩形阳光板 Four wall PC hollow sheet	14	2.40	2.42	1/2	69	2450
	16	2.60	2.27	1/2	68	2800
	8	1.70	2.56	1/2	71	1400
	10	2.00	2.39	1/2	71	1750
 四层蜂窝阳光板 Honeycomb hollow sheet	12	2.20	2.30	1/2	70	2100
	14	2.40	2.10	1/2	69	2450
	16	2.60	2.00	1/2	68	2800
	18	2.80	1.88	1/2	66	3150
 四层蜂窝阳光板 Honeycomb hollow sheet	20	3.00	1.69	1/2	63	3500
	6	1.30	2.96	1/2	59	1060
	8	1.70	2.58	1/2	58	1400
	10	1.90	2.16	1/2	57	1750
 四层蜂窝阳光板 Honeycomb hollow sheet	12	2.20	1.98	1/2	56	2100
	14	2.40	1.74	1/2	55	2450
	16	2.70	1.56	1/2	53	2800

优尼科聚碳酸酯(PC)U型结构板(锁扣板)系列 Unique Polycarbonate U lock sheet				
板材结构 Structure	厚度(mm) Thickness	宽度(mm) Width	克重(kg/m <sup>2</sup> ) Weight	最小弯曲半径(mm) Bending radius
U型4层锁扣板 Four Wall U lock sheet	8	600	1.8	1500
	10		2.0	1750
	12		2.2	2100
米字型锁扣阳光板 X structure U lock sheet	16	600	3.1	2750
	18		3.3	3050
	20		3.5	3350
蜂窝型锁扣板 Honeycomb U lock sheet	8	600	1.8	1500
	10		2.0	1750
	12		2.2	1900
U型2层锁扣板 Twin wall U lock sheet	8	1040	1.8	1400
	10		2.0	1750
	12		2.2	1750
U型4层锁扣板 Four wall U lock sheet	8	1040	2	1500
	10		2.2	1750
	12		2.4	2100



# P<sub>c</sub> solid sheet 耐力板

耐力板又称 PC 板, 聚碳酸酯、实心板、防弹玻璃、卡布隆板, 实心板, 聚碳酸酯板, 航空透视板, 是以高性能的工程塑料聚碳酸酯或聚碳 -- 酸酯加工而成。


Solid sheet, also known as PC sheet, polycarbonate, solid plate, bulletproof glass, card board bloom, polycarbonate solid board, aviation perspective plate is a high performance engineering plastic polycarbonate or poly - acid ester processing.

### 产品特点

- 安装简便
- 高透光
- 重量轻
- 防凝隔音
- 质轻抗风
- 抗冲击性
- 温度范围: -40~+120°C

### Products Features

- Simply installed
- high light transmission
- Light weight
- Avoid alot and sound insulation
- Light weight and high wind resistance
- Impact resistance
- Temperature range:-40~+120°C




透明耐力板 / Clear solid sheet



磨砂耐力板 / Frosted solid sheet



钻石纹颗粒板 / Diamond embossed pc sheet



荔枝纹颗粒板 / Litchi embossed pc sheet



# PC 耐力板

## 产品用途 / Product Application

- 航空透明集装箱、摩托车前风挡、飞机、火车、轮船、汽车、汽艇、潜艇及玻璃军警盾牌  
Air transparent container, air, railway, ship, cars, steamboat, police shield
- 电话亭, 广告路牌、灯箱广告、展示展览的布置  
The telephone booth, advertising board, light boxes advertising, exhibition layout
- 仪器、仪表、高低压开关柜面板, LED 屏板及军事工业  
Instrument, meter, high voltage switch cabinet panel, LED panel board and military industry
- 高速公路及城市高架路隔音屏障  
Highway and urban elevated road noise barrier
- 办公楼、百货大楼、宾馆、别墅、学校、体育场馆、娱乐中心及公用设施的采光顶棚  
Office building, department store, hotels, villas, schools, hospitals, stadiums, entertainment center and public facilities lighting ceiling

## 应用案例 / Applications



# PC 耐力板

## 耐力板种类及参数 / PC Solid Sheet Parameters

名称 Name	厚度 Thickness (mm)	重量 Weigh (kg/m)	最小弯曲半径 Min Curving Radius (mm)	颜色 Color	规格 Specifications
PC耐力板 PC solid sheet	1.5	1.80	225	透明 Clear	1.0 - 4mm × 1.22m × 30m
	2.0	2.40	300		
	2.5	3.24	405		
PC颗粒板 Diamond sheet	3.0	3.60	450	绿色 Green	1.0 - 4mm × 1.56m × 30m
	4.5	5.40	675	蓝色 Blue	1.0 - 4mm × 1.82m × 30m
PC磨砂板 Frosted solid sheet	5.0	6.00	750	茶色 Brown	1.0 - 4mm × 2.10m × 30m
	6.0	7.20	1080	乳白色 Opal	4.5m以下 可打卷 4.5m以上 为片材
PC荔枝纹板 Litchi embossed sheet	8.0	9.60	1450	湖蓝色 Lake-Blue	
	10.0	12.00	1750	(可定制)	
	12.0	14.40	2100		
14.0	16.80	2450			
	16.0	19.20	2800		
	18.0	21.60	3150		

## 主要应用PC结构板系列透光率

标准厚度 (mm)	2.0	2.7	3.0	4.5	6.0	8.0	10.0	12.0	14.0	16.0	18.0	20.0
颜色 (透明)	89%	88%	88%	87%	86%	83%	82%	81%	77%	75%	73%	72%

## 技术参数 / Technical Parameters

性能 Character istics	单位 Unit	耐力板参数 Date of PC solid sheet	颗粒板参数 PC embossed sheet
透光度 Light transmittance	%	≥78	60-70
冲击强度 Impact strength	J/m	50	35
热膨胀系数 Coefficient of thermal expansion	mm/m.°C	0.065	0.065
传热系数 Heat transfor coefficient	W/m.°C	0.21	0.21
可耐温度 Service temperature	°C	-40°C+120°C	-40°C+120°C
抗拉强度 Tensile strength	N/mm <sup>2</sup>	60	60
弯曲强度 Bending strength	N/mm <sup>2</sup>	100	100
弹性模量 Bending elastic modulus	Mpa	2400	2400
断裂拉伸应力 Tensile stres at break	Mpa	130	
断裂拉伸率 Elongation at break	%	130	
隔音效果 Sound insulation effect	db	6mm实心板减少35分贝	3mm实心板减少28分贝



# P<sub>c corrugated sheet</sub> 波浪瓦

PC 采光瓦是以聚碳酸酯 (PC) 工程塑料为主要原料, 并加入 UV 抗紫外线剂和其他化学助剂, 采用当今最先进的技术和设备制成, 产品具有优良的物理机械稳定性; 不易变黄、老化, 并经试验证明高达 99% 的紫外线均可有效吸收、隔绝。

PC corrugated sheet is a polycarbonate (PC) engineering plastics as the main raw material, and adding UV and other chemical additives, the use of today's The most advanced technology and equipment, the product has excellent physical and mechanical stability, not easy to yellow, aging, and the test proved to be up to 99% of the UV can be effectively absorbed, isolated.

### 产品特点

### Products Features

### 标准颜色 / Standard Colors

- 透光性
- 耐候性
- 抗冲性
- 阻燃性
- 耐高温性
- 抗紫外线
- 安装简便

- Good transparency
- Weather resistance
- Impact resistance
- Flame resistance
- Temperature resistance
- Anti ultraviolet
- Easy to install

透明、湖蓝、草绿、乳白、茶色、宝蓝, 可接受定制。  
Clear, lake blue, green, opal, bronze, dark blue, others can be customized

### 产品用途 / Product Application

- 农业蔬菜大棚  
Agricultural vegetable greenhouses
- 食品晾晒通风(中药, 海产品, 干菜等)  
Food drying and ventilation (Chinese herbology, seafood, dried vegetables, etc.)
- 金属屋面采光带 / 公共体育场馆采光  
Metal roof with lighting (with color plate supporting) / Public sports venues lighting cover
- 花房、家庭庭院  
Garden greenhouse
- 仓库、车站、码头、商业建筑等采光领域  
Warehouses, stations, docks, commercial buildings lighting covering.



760 型 PC 瓦  
PC corrugated sheet PCT760

840 型 PC 瓦  
PC corrugated sheet PCT840

小波浪 PC 瓦  
PC corrugated sheet PC660

梯形 PC 瓦  
PC corrugated sheet GRECA



PC corrugated sheet  
波浪瓦

波浪瓦参数表 / PC Corrugated Sheet Parameters

型号 File	编号 Model NO.	宽度 Width (mm)	实际宽度 Coverage width (mm)	峰高 Depth (mm)
	UNQ1220-48	1220	1187.5	4
	UNQ1100-275	1180	1100	25
	UNQ1170-356	1170	1068	32
	UNQ760-131	760	655	35
	UNQ920-177	920	885	51
	UNQ1100-177	1100	1062	51
	UNQ860-76	860	760	18
	UNQ1100-76	1100	988	18
	UNQ930-63	930	882	16
	UNQ930-79	930	869	16
	UNQ660-32	660	640	10
	UNQ980-245	1050	980	35
	UNQ1080-125	1080	1000	21

PC corrugated sheet  
波浪瓦

波浪瓦参数表 / PC Corrugated Sheet Parameters

型号 File	编号 Model NO.	宽度 Width (mm)	实际宽度 Coverage width (mm)	峰高 Depth (mm)
	UNQ760-190	830	760	26
	UNQ820-205	890	820	26
	UNQ840-210	900	840	26
	UNQ1000-250	1070	1000	39
	UNQ1000-250/1	1090	1000	32
	UNQ1050-100	1050	1000	18
	UNQ1025-205	1110	1025	25
	UNQ1050-160	1050	960	30
	UNQ-T25	1070	1026	22
	UNQ-PB4	1044	1000	50
	UNQ-GRECA	1039	988	16
	UNQ-IBR	737	686	37





# C arport 车棚



L 型 -L Type



Y 型 -Y Type



M 型 -M Type



斜拉型 -Back pull carport



车棚是采用优质 PC 耐力板与专业定制铝型材组装而成的高档车棚。棚架全部采用高强度铝合金优质材料,设计简单,多用于私家庭院、别墅、房地产园林配套设施、高档社区、酒店宾馆等。

High-grade Carport is the combination of high-quality PC solid sheet and Professional cutoms Aluminum frame. Scaffolding used in all high strength aluminum alloy material with high quality, simple design, used for private garden, villa, real estate garden facilities, high-grade community, hotels etc.

### 产品特点

- 外形时尚简洁,可多样性组合
- 铝合金骨架,耐腐蚀
- 德国拜耳原料 pc 耐力板
- 型材专业定制设计,易组装。
- 抗风能力强,坚固耐用,使用寿命长
- 高耐候,抗冲击性
- 耐老化

### Products Features

- Stylish simplicity, combination diversity
- Aluminum alloy frame, corrosion-resistant
- Bayer raw materials PC solid sheet
- Professional profiles custom-designed, easy to assemble
- Strong wind resistance, durable, long life
- High weather resistance, impact resistance
- Anti-aging



# C arport 车棚

## 车棚类型及标准尺寸 / Specification And Size of Carport

NO.	类型 Description	图片 Picture	参数 Dimension			容量 Capability
			高度 Projection(m)	长度 Length (m)	整体高度 Frame Height(m)	
1	Single		3	5.5	2.2-2.9	1 car
2	Y-Joint		3+3	5.5	2.2-2.9	2 cars
3	M-Joint		3+3	5.5	2.2-2.9	2 cars
4	2-Joint		3	5.5+5.5	2.2-2.9	2 cars
5	1 Channel		3	5.5	2.2-2.9	1 car
6	2 Channel		6	11	2.2-2.9	4 cars

## 车棚安装步骤 / Carport Installation Steps

- 首先在安装位置挖两个坑，立柱之间距离为 2790mm。在坑里埋三根角铁，用混凝土填满至地平线。
- 放上立柱，往立柱里灌混凝土，高度大概 1500mm，一天待干。
- 顶棚的组装。先安装好后管与竖管的连接，前管与竖管的连接，然后装上四条横管，再装下压条。
- 安装支撑弯管。先把弯角装上支撑弯管上，然后再把支撑弯管安装在已组装好的顶棚上。(注意：四根横管与支撑弯管连接处必须用一个螺丝固定锁紧)
- 安装 PC 耐力板，将耐力板铺上竖管与下压条之间、下压条与下压条之间，然后装上压条，用螺丝上紧。(注：在有支撑弯管处，即第三、第八竖行上的耐力板先不上紧，可先用螺丝上紧前三跟横管，第四根横管与后管暂不上螺丝，方便下步安装在立柱上。)
- 把安装好的顶篷装上立柱上。后管与立柱的连接用两个螺丝上紧，弯管与立柱两边分别用两个螺丝上紧固定位置。
- 安装排水管，把排水管对准后管上的排水孔，然后用螺丝上紧。(注：排水管与后管连接处应涂上玻璃胶，防水。)



# C arport 车棚



# Awning 雨棚




耐力板雨棚 /Solid Awning    内直角雨棚 /Corner Awning    阳光板雨棚 /Hollow Awning    外直角雨棚 / Corner Awning

雨棚主要是由高强度工程塑料(或铝合金)支架、Pc 板材、专业铝撑条组装而成。外形美观大方,坚固耐用,易安装,可 DIY 连续组装无限延伸。

The canopy is mainly composed of high strength engineering plastics (or Aluminum Alloy) bracket, Pc plates, aluminum strip assembled professional. Beautiful appearance, strong and durable, easy to install, can be extended to DIY continuous assembly.

## 安装图示 / Installation





# Awning 雨棚

## 产品特点

- 美观统一,轻巧耐用
- 抗台风,抗冲击
- 耐老化
- 易安装
- 户外使用设计 15 年以上
- 雨水自洁,低噪音
- 结构坚固,连续组合性强

## Products Features

- Elegant, Neat, Light weight
- Anti-typhoon, Impact-resistance
- Anti-aging
- Easy to install
- Service life more than 15 years
- Rainwater self-cleaning, low noise
- Solid structure, strong composite

本产品多用于私家庭院、高档社区、房地产楼盘、商业街、别墅群等工程。工程安装宽度可定做。

This product is used in private garden, high-grade community, real estate development, commercial street, villas and other projects. Engineering installation width can be customized.

## 雨棚尺寸 / Size

铝收口靠墙 (Wide)	W800mm	W1000mm	W1200mm	1500mm
支架出尺寸 (size)				
D600mm	D600*W800	D600*W1000	D600*w1200	D600*W600
D800mm	D800*W800	D800*W1000	D800*w1200	D800*W1500
D1000mm	D1000*W800	D1000*W1000	D1000*w1200	D1000*W1500
D1200mm	D1200*W800	D1200*W1000	D1200*w1200	D1200*W1500
D1500mm	D1500*W800	D1500*W1000	D1500*w1200	



# Awning 雨棚



# G<sup>reenhouse</sup> 花房

随着园林艺术逐步的深入家居生活，现代人对绿色的关爱越来越被重视，风靡欧美，日本等国家的庭院温室得到了蓬勃发展，产品简约耐牢，DIY 设计，款式多样，有大、中、小型系列产品。

本产品适用于私家庭院、别墅群、楼宇阳台、天台 .....

With the gradual penetration of gardens into the home life, modern people's care for green is more and more valued, and the courtyard greenhouses that are popular in Europe, America, Japan and other countries have developed vigorously. Products are simple and durable, DIY design, diverse styles, there are large, medium and small series products.

This product is suitable for private courtyards, villas, building balconies, rooftops, etc. '

### 产品特点

- 简约耐牢
- 透光防潮
- 轻质耐用
- 自主创新
- 易安装
- 抗冲击性
- 耐老化

### Products Features

- Simplicity solid
- Transparency,moistureproof
- light weight functional
- Independent creativity
- Easy to install
- Impact resistance
- Anti-aging



UNQ31055



UNQ31044



UNQ70304



UNQ40054




Accessories  
配件



铝压条 / Aluminum Strip



铝垫片 / Aluminum Cap



角铝 / Angle Aluminum



铝上下扣 / Aluminum Assembly Profile



PC 上下扣 / PC Assembly Profile



PC 配件 (收边、中接) / PC U Profile / PC H profile




钻尾丝 / Drilling Screw


Accessories  
配件



铝收边 / Aluminum U Profile



铝中接 / Aluminum H Profile



三件套 / Three-piece set



中性玻璃胶 / Neutral glass glue



PC 垫片 / PC Gasket



防水胶带 / Waterproof Tape

配件种类

SPECIFICATION

产品描述及参数

Products Description And Parameters

- 铝压条宽度 :30,38,45,50,50 厚 ,50 圆弧
- 铝垫片直径 :25,30
- 角铝宽度 :30,50
- 铝上下扣厚度 :50
- PC 上下扣厚度 :6-10,12-16
- PC 中接厚度 :6,8,10,12,16,20
- PC 收边厚度 :6,8,10,12,16,20
- 铝收边厚度 :4-6,8,10,12,14,16,20
- 铝中接厚度 :6,8,10,12
- 钻尾丝长度 :35,50
- 中性玻璃胶容量 :280
- PC 垫片直径 :50
- 防水胶带 :无纺布, 双面, 铝箔
- Aluminum strip width:30,38,45,50width,50 circle
- Aluminum cap diameter:25,30
- Angle alumiium width:30,50
- Aluminum assembly profile thickness:50
- PC assembly thickness:6-10,12-16
- PC H profile thickness:6,8,10,12,16,20
- PC U profile thickness:6,8,10,12,16,20
- Aluminum U profile thickness:4-6,8,10,12,14,16,20
- Aluminum H profile thickness:6,8,10,12
- Drilling scrow:35,50
- Neutral glass glue value:280
- PC cap diameter:50
- Waterproof tap:Non woven fabric,Two-sided, aluminum foil



## 案例介绍 CASE INTRODUCTION



### ■ 地铁项目

地点：山东青岛  
颜色：灰色  
规格：10mm 耐力板  
数量：5000m<sup>2</sup>

### ■ Subway Project

PLACE: Qingdao Shandong  
COLOR: Gray  
SIZE: 10mm Solid PC Sheet  
QTY: 5000m<sup>2</sup>



### ■ 农家院顶棚

地点：保定易县  
规格：德国拜耳原料耐力板  
数量：2000m<sup>2</sup>

### ■ Farmyard Ceiling

PLACE: Yi county, Baoding city  
SIZE: Bayer material solid sheet  
QTY: 2000m<sup>2</sup>



### ■ 连栋温室

地点：北京密云水库  
颜色：透明  
规格：8mm 两层阳光板  
数量：30000m<sup>2</sup>

### ■ Beijing Greenhouse Project

PLACE: Beijing Miyun reservoir  
COLOR: Clear  
SIZE: 8mm twin wall sheet  
QTY: 30000m<sup>2</sup>



### ■ 碳纤维公司

地点：呼和浩特  
规格：拜耳料阳光板  
数量：100000m<sup>2</sup>

### ■ Carbon Fiber Company

PLACE: Hohhot  
SIZE: Bayer material hollow sheet  
QTY: 100000m<sup>2</sup>

## 案例介绍 CASE INTRODUCTION



### ■ 雨棚

地点：美国  
颜色：透明  
规格：耐力板、工程塑料支架  
型号：1m×1m  
数量：500套

### ■ Awning Project

PLACE: USA  
COLOR: Clear  
MATERIAL: Solid sheet, project plastic frame  
SIZE: 1m\*1m  
QTY: 500set



### ■ 露天棚

地点：夏威夷  
颜色：透明  
规格：2mm 耐力板

### ■ Terrace Canopy

PLACE: Hawaii  
COLOR: Clear  
SIZE: 2mm Solid PC Sheet



### ■ 高速声屏障

地点：吉林敦化  
颜色：透明  
规格：8mm 耐力板  
尺寸：1.9m\*1.5m  
数量：3000m<sup>2</sup>

### ■ High Way Sound Barrier

PLACE: Highway  
COLOR: Clear  
SIZE: 8mm solid sheet  
DIMENSION: 1.9m\*1.5m  
QTY: 3000m<sup>2</sup>



### ■ 地下通道

地点：内蒙古包头市火车站  
颜色：透明  
规格：6-8mm 耐力板  
数量：2000m<sup>2</sup>

### ■ Underground Passage

PLACE: Train station of baotou city Inner Mongolia  
COLOR: Clear  
SIZE: 6-8mm solid sheet  
QTY: 2000m<sup>2</sup>



## 案例介绍 CASE INTRODUCTION



### ■ 新型温室 ■ New Type Greenhouse

地点: 新疆喀什	PLACE: Kashgar, Xinjiang
颜色: 透明	COLOR: Clear
规格: 10mm 阳光板	SIZE: 10mm hollow sheet
数量: 9000 m <sup>2</sup>	QTY: 9000m <sup>2</sup>



### ■ 加拿大车棚项目 ■ Canada Carport Project

地点: 加拿大	PLACE: Canada
颜色: 湖蓝	COLOR: Lake-blue
规格: 2mm 耐力板	SIZE: 2mm solid PC sheet
数量: 200m <sup>2</sup>	QTY: 200m <sup>2</sup>



### ■ 山西大同嘉年华 ■ Datong Carnival, Shanxi

地点: 山西大同	PLACE: Datong
颜色: 透明	COLOR: Clear
规格: 4mm 耐力板	SIZE: 4mm solid PC sheet
数量: 400m <sup>2</sup>	QTY: 400m <sup>2</sup>



### ■ 阳光板隔断 ■ PC Hollow Sheet Partition

地点: 浙江	PLACE: Zhejiang
颜色: 透明	COLOR: Clear
规格: 10mm 阳光板	SIZE: 10mm hollow sheet
数量: 1000m <sup>2</sup>	QTY: 1000m <sup>2</sup>

## 案例介绍 CASE INTRODUCTION



### ■ 博野好滋味蔬菜基地 ■ Vegetable Base, Boye County

地点: 保定博野	PLACE: Boye county, Baoding city
颜色: 透明	COLOR: Clear
规格: 10mm 四层 / 蜂窝板	SIZE: 10mm 4-wall/ honeycomb sheet
数量: 13000m <sup>2</sup>	QTY: 13000m <sup>2</sup>



### ■ 衡水饶阳县文化广场 ■ Raoyang County Culture Square

地点: 衡水饶阳县文化广场	Place: Raoyang county ,Hengshui
颜色: 浅茶色	Color: Gray
规格: 12.5mm 耐力板	Size: 12.5mm solid PC sheet
数量: 600m <sup>2</sup>	Qty: 600m <sup>2</sup>



### ■ 阳光房 ■ Sunroom

地点: 雄安新区	PLACE: Xiongan New Area
颜色: 湖蓝	COLOR: Lake-blue
规格: 8mm 蜂窝板	SIZE: 8mm honeycomb sheet
数量: 630m <sup>2</sup>	QTY: 630m <sup>2</sup>



### ■ 地下车库 ■ Underground Parking

地点: 河北定州	PLACE: Dingzhou, Hebei
颜色: 湖蓝	COLOR: Lake-blue
规格: 10mm 阳光板	SIZE: 10mm hollow sheet
数量: 1500m <sup>2</sup>	QTY: 1500m <sup>2</sup>



优尼科

与您共创美好未来

UNIQ CREATES A BETTER FUTURE WITH YOU

## 地理位置优势 LOCATION ADVANTAGE

工厂位于定州市南部，紧邻京港澳定州高速南口，处于环京津冀两小时经济圈，距离北京196公里，距离天津港240公里距离石家庄正定国际机场25公里，距定州高铁站15公里距离雄安新区93公里；交通四通八达空、陆、港、铁联运无缝对接。



## 现代化生产车间 MODERNIZE WORKSHOP



# UNIQ

### 先进生产设备，高标准的厂房标准

Advanced production equipment, high standard workshop standards





源头把握生产发货 PACKAGING LINK





## 品质 NO.1 QUALITY NO.1

- 各类检验检测证书 Kinds of Test Reports



## 服务 NO.1 SERVICE NO.1

- 专业服务体系 Professional Service System



专业客服团队，随时解决您的售前售后问题

Professional service team, Resolve your pre-sale and after sales problems anytime.

## 广交会及员工合影 TEAM PHOTO

